



ACCESSORIES FOR DATA PROCESSING



SPECIAL FREE OFFER!
See back cover for details.


ROBINS
DATA DEVICES INC.

SUBSIDIARY OF ROBINS INDUSTRIES CORP.

15-58 127th STREET • FLUSHING, N.Y., 11356 • TEL. 212 445-7200

• CABLE ADDRESS: "ROBINFERRO NEWYORK"

MOTORIZED TENSIONING PAPER TAPE WINDER



A fully automatic, efficient paper tape winder with standard 1/2" shaft accommodates every type of perforated paper tape up to 1" wide on reels up to 10 1/2" dia. Facilitates the winding of paper tapes on reels as they come from computers, data processing, numerical control and other tape automated equipment.

The speed of the Winder is controlled by a tape tensioning arm. No speed control is required. The unique built-in tape tensioning arm keeps an "even" wind on tapes and automatically stops the unit when the tape is taut to prevent pulling, tearing, and breakage of tapes. It starts automatically when tape is fed.

The complete mechanism is enclosed within a heavy duty metal housing. The control arm extends to the left when facing a reel. The tensioning assembly features Nylon tape rollers. Two indicator lights are located on the front panel of the housing. A Red light indicates the unit is on. An Amber light indicates the motor is running.

Dimensions of housing: 12 1/2" L. x 10" W.
x 8 1/8" HT.

Operation: 115 V. Std. 50-60 cycles A. C.

Cat. No.	Speed R P M	Rotation	Location of Tension Arm	
DWM-1	50	Clockwise	Left	\$125.00
DWM-1A	200	Clockwise	Left	140.00
DWM-1B	50	Counter Clockwise	Right	160.00
DWM-1C	200	Counter Clockwise	Right	175.00

UNITS FOR PANEL MOUNT AVAILABLE ON SPECIAL ORDER.


SPECIAL ADAPTORS AVAILABLE TO ACCOMMODATE REELS
WITH DIFFERENT HUB SIZES

#DNAB	N. A. B. Adaptor.....	\$10.00
#DHA	Honeywell and NCR Adaptor	20.00
#DBA	Burroughs Adaptor	15.00

MOTORIZED PAPER TAPE WINDER

Full motorized paper tape winder with clip threading single flange reel. Facilitates rapid winding of paper perforated tapes up to 1" wide as they come from any output. 50 RPM motor. Maximum winding speed is approximately 4,300 codes per minute. Built-in slip clutch adjusts speed, tension, starting and stopping of reel according to requirements dictated by the output equipment. Single flange take-up reel features tape clips to secure tape for winding. Reel and motor are attached to a sturdy base with the reel slightly tilted back to hold tape during winding. This winder can be operated continuously. Operation is 110 volt std. 50 - 60 cycles A. C.

#DWM-2 with 6" reel\$65.00
#DWM-3 with 8" reel 70.00




SEND US YOUR PROBLEMS!

WHEN YOU HAVE A SPECIALIZED PROBLEM, LET ROBINS SPECIAL DEVICES DEPARTMENT ENGINEER A COST SAVING SYSTEM TO MEET YOUR REQUIREMENTS. ANY OF OUR STANDARD ACCESSORIES AND SUPPLIES CAN BE MODIFIED TO YOUR SPECIFICATIONS. YOUR INQUIRY IS ALWAYS WELCOME.

MINIMUM ORDER \$15.00

TERMS: 1/2 % /10 DAYS NET 30
F.O.B. FLUSHING, N. Y.
PRICES SUBJECT TO CHANGE
WITHOUT NOTICE.

ROBINS® MoBIUS II





ROBINS MoBIUS II is a completely new breakthrough in systems design for handling continuous loop perforated tapes from 20 to 300 feet long. MoBIUS II completely eliminates tape tangling and dragging-on-the-floor, where tapes pick-up dust and dirt, causing expensive mis-reads. Tape breaks due to snarling and catching are also prevented.

A self contained unit for continuous unattended operation with most equipment. No circuitry or wiring into the tape reader is required.

MoBIUS II starts and stops automatically on tape movement and permits the use of any type of perforated tape (dry paper, oiled paper, laminated and metalized mylar).

MoBIUS II is designed and constructed for the heavy duty use demanded by today's industry.

For use with . . .
Tape Readers . . .
Numerical Control Machines . . .
Automated Typewriters and Letterwriters...
Any Repetitive Automated System !



● PRECISION FEATURES

1. Clear Plastic Hinged Cover permits visual adjustment of the Centering mechanism while protecting the tape from dust and grime.
2. Four Quadrant Tape Centering Guides maintain the position of coiled perforated tape.
3. Stainless Steel Turntable and Chassis.
4. Single Knob Control for adjusting the Tape Centering Guides.
5. On / Off Switch.
6. On / Off Indicator Lights for both the main switch and motor.
7. Heavy gauge steel housing with wrinkle finish.
8. Heavy duty rubber bumpers for safe placement on any desk or table.

SPECIFICATIONS OF ALL MODELS:		Use of MoBIUS in relation to placement with tape reader		
Operation: Continuous Duty. 110 V. A.C.		Models operating at up to 5,400 codes per minute	Reader Tape Feed Direction (facing reader) Tape Moves:	
Tape Capacity: 20 to 300 feet long.		Models operating at up to 18,000 codes per minute		
Dimensions: 10 1/2" W. x 9 1/4" D. x 7 1/2" HT.		DMO-1	Right to Left	Below and in front of tape reader
Weight: 10 lb.		DMO-2	Right to Left	Beneath tape reader
● PRICE:		DMO-3	Left to Right	Below and in front of tape reader
All Models.... \$295.00		DMO-4	Left to Right	Beneath tape reader

HAND WINDER AND REWINDER FOR DATA TAPES

Two heavy duty, quality die-cast winders permit rapid rewinding and transferring of data tapes from reel to reel or back to their starting point for reuse upon removal from coding and reading equipment. Accommodates tape reels for tapes up to 1" wide on reels up to 10 1/2" dia.

Winding of data tapes onto reels as they come from computers, data processing, and other tape automated equipment can be quickly and easily accomplished by use of one of the winders.

Unique device automatically disengages handle. Has tension and locking adjustment, lifetime reinforced bushings. Comfortable balanced crank with large handle. Each winder is supplied with a heavy cast base for use without mounting. For mounting requirements, base can be removed exposing four mountingholes for easy attachment to work surface. Supplied with a 7 1/2" dia. plastic reel.

#WH-2 Hand operated Rewinder (two WH-1 units). \$55.00
#WH-1 Hand operated Winder (single unit) 30.00

SPECIAL ADAPTORS AVAILABLE TO ACCOMMODATE REELS WITH DIFFERENT HUB SIZES:

#DNAB	N.A.B. Adaptor	\$10.00
#DHA	Honeywell & NCR Adaptor	20.00
#DBA	Burroughs Adaptor	15.00

Other Adaptors available on Special Order.


MINIMUM ORDER \$15.00



PAPER TAPE UNWINDER CENTER FEED

Eliminates need to rewind tapes to their starting point. Feeds from the center to give you direct access to the starting point of your tapes. A perfect mate to Robins Motor Driven Tensioning Paper Tape Winders #WM-1 and Motorized Winders #DWM-2 and #DWM-3. By combining this Center Feed Paper Tape Unwinder with any of the Motorized Winders, they will handle all winding and unwinding of data tapes safely, automatically.

NEW #UCF-1A 1 1/2" Spindle, 6 1/2" dia. \$20.00
#UCF-1 6 1/2" dia. 15.00
#UCF-2 12" dia. 20.00




UNWIND CANS DATA TAPE

Facilitates easy, safe folding and unfolding of perforated tapes for rapid processing without loss of time in straightening out twisted coiled tapes and fear of tearing them. Coils, rolls, and stacks of data tapes can be dropped into these unwind cans for feeding to each operation. Holds tapes up to 1" wide.

#UC-1 12" ht. x 12" L. x 1 1/8" D. \$36.00
#UC-2 4 1/2" ht. x 6" L. x 1 1/4" D. 16.50
#UC-3 9" ht. x 9" L. x 1 1/4" D. 33.75

All units supplied with sturdy metal base lined with foam rubber for safe convenient use.




NEW

WINDERS, REWINDERS AND UNWINDERS. . .

COMBINATION WINDER AND SPLICER

A COMPLETE PERFORATED TAPE EDITING AND WINDING SYSTEM!



Heavy duty, quality die-cast winders rapidly rewind and transfer data tapes from reel to reel or back to their starting point upon removal from coding and reading equipment. Accommodates tapes up to 1" wide on reels up to 10 1/2" dia. Unique device automatically disengages handle. Has tension and locking adjustment. Lifetime lubricated bearings. Comfortable balanced cranks with large handles.

"Gibson Girl" Perforated Tape Splicer produces precision Vertical Cut at both ends of tape for perfect butted edges or makes splices without loss of a single code. Trims "Gibson Girl" waists at sides of splices to prevent adhesive of splicing patches from contacting parts of equipment.

Pre-Punched pressure sensitive Splicing Patches supplied with Splicer are cut to length and ready to apply.

Base has rubber bumpers for safe operation on desks or tables. Base dimensions: 8" W. x 36" L. x 3/4" H. Overall height, less reel: 10 1/2".

For Standard Feed Hole Tapes	For Advanced Feed Hole Tapes	Number of Channels	Tape Width	Price
DWS-5	DWS-5A	5	11/16"	\$190.00
DWS-6	DWS-6A	6	7/8"	190.00
DWS-7	DWS-7A	7	7/8"	190.00
DWS-71	DWS-71A	7	1"	190.00
DWS-8	DWS-8A	8	1"	190.00

#DPP and DPPM Series Splicing Patches are used with this system. See listing of Patches on Page 9.

COMBINATION ENCODER, SPLICER, AND WINDER

NEW

A COMPLETE EDITING, ENCODING, AND WINDING SYSTEM!



Heavy duty, quality die-cast winders for rapid winding of tapes from reel to reel. Accommodates tapes up to 1" wide on reels up to 10 1/2" dia.

Manual Single-Hole Punch Encoder and Splicer solves most perforated tape problems. Feed hole pins permit fast accurate alignment of tape and splicing patch. Punching stylus supplied with encoder produces code hole perforations in tapes. Encoding block has 8 code holes to guide the punching stylus. Any Alpha-Numeric or other code can be perforated in tapes. Tapes are manually fed after each individual punch is made by lifting tape from the feed hole pins and advancing the tape one feed hole at a time.

Splicer has precision cutting groove to accurately guide hand held cutting blade permitting editing, correcting, attaching ends of rolls, looping, and repairing of tapes.

The splicer and encoder may be used with any type of perforated tape. See page 8 for listing of Robins Patches to be used with splicer. Use DPPN Patches with encoder.

Base has rubber bumpers for safe operation on desks or tables. Base dimensions: 8" W. x 36" L. x 3/4" H. Overall height, less reel: 10 1/2".

#DWSE-1 For Standard Feed Hole Tapes.....\$150.00
#DWSE-1A For Advanced Feed Hole Tapes.... 150.00


ALPHA-N. . . 41 CODE HAND FIELD ENCODER

Puts the complete ALPHA-NUMERIC plus 5 extra codes at your fingertips to create or edit data in 5, 6, 7, and 8 channel perforated tapes. Just dial the required code and punch.

Lightweight for use in the field, laboratory, factory, or office to complement your electro-punching equipment. Encode data into machine language as it occurs. Avoid transcription errors and loss of time. DO IT ON THE SPOT!

FEATURES: Custom-Code Wheel has 41 codes preselected by you. All operating parts are completely enclosed within a durable metal housing. Selector Knob at front of unit offers rapid, easy selection of codes. Indicator Window at top front of unit shows characters being punched. After each code is punched, the tape automatically feeds to the next coding position. Manual feed permits positioning of tape. Heavy cast base supplied to hold encoder for use on table or desk. Also frees the operator's hands. Dimensions: Encoder: 7 1/2" x 1 7/8" x 4 1/2" ht. With Stand: 9 1/4" x 3 5/8" x 5 5/8" ht.

TO ORDER ENCODER OR CUSTOM CODE - WHEEL: Please indicate codes desired and their equivalents, which punch or combination of punches each code is composed of: i.e., A = punches 1, 2, and 5. B = punches 3, 4, and 6, etc. Specify Advanced Feed Tapes where used.



U.S. PATENT NO. 3, 278, 117

#DCN-41	Encoder for Standard Tapes	\$400.00
#DCN-41A	For Advanced Feed Hole Tapes	400.00
#DC-41	For Edge-Punched Cards	400.00*
#DC-CW-41	Extra Custom 41 Code Wheel	50.00
ACCESSORIES:		
#DC-CA	Carrying and Storage Case	20.00
#DC-CH	Clip-On Chain, attaches Encoder to belt of operator for prompt on the spot encoding and prevents accidental dropping of unit	3.75

*Plus Federal Excise Tax-Card Punch model only.

DATA-CODER 18 CODE HAND FIELD ENCODER

U.S. PATENT NO. 3, 278, 117


Standard 18 Code Hand Field Encoder. Perfect for the man working with numeric codes. Code Wheel can hold the full numeric code plus 8 others, allowing for code letters or punctuation marks. Other codes can be punched by combining two or more characters to form a third. For example, a 6 punch and a 7 punch might equal a C punch. This is done by punching 6, backspacing with the manual tape feed and then punching 7.

Same precision features as the ALPHA-N encoder. Heavy cast base supplied to hold the encoder for use on desk or table.

TO ORDER ENCODER OR CUSTOM CODE - WHEEL: Please indicate codes desired and their equivalents. Also specify Advanced Feed-Tapes where used.

#DCN-1	Encoder for Standard Tapes	\$295.00
#DCN-1A	For Advanced Feed Tapes	295.00
#DC-1	For Edge-Punched Cards	295.00*

*Plus Federal Excise Tax - Card Punch model only.



#DC-CW	Extra Custom 18 Code Wheel	\$30.00
ACCESSORIES:		
#DC-CA	Carrying and Storage Case	20.00
#DC-CH	Clip-On Chain	3.75


#DPPN 9" LONG FEED HOLE PERFORATED (ONLY) CORRECTION PATCHES FOR USE WITH ENCODERS

Correct and update existing perforated tapes and cards. Cover areas requiring corrections with self-stick Patches and repunch new data using any of the above encoders.

#DPPN-C	100 Patches \$9.00	#DPPN-D	500 Patches \$30.00	#DPPN-M	1000 Patches \$45.00
-------------------	--------------------	-------------------	---------------------	-------------------	----------------------

MINIMUM ORDER \$15.00

NEW DELUXE SPLICE-N-PUNCH ENCODER AND SPLICER




A complete Manual Single - Hole Punch Encoder and Splicer. Light weight for portability. Splicer and Encoder have precise feed hole pins for fast accurate alignment of tape and splicing patch. A punching stylus supplied with the encoder produces code hole perforations in tapes. The encoding block has 8 code holes to guide the stylus. Any Alpha-numeric or other code can be punched in tapes. Tapes are manually fed after each individual punch is made by lifting the tape from the feed hole pins and advancing the tape one feed hole at a time.

The Splicer features two tape holding arms to secure tape during cutting and splicing operation. A precision cutting arm produces clean vertical cuts in tapes for perfect butted edges. The Splicer may be used with any tape up to 1" wide. Select the proper Patch for the type and width of tape being used.

See Page 8 for listing of Splicing Patches.

- #DPS-2 Deluxe Splice-N-Punch for Standard Feed Hole Tapes... \$85.00
- #DPS-2A Deluxe Splice-N-Punch for Advanced Feed Hole Tapes.. 85.00

SPLICE-N-PUNCH



Combines the versatility of having both an encoder and splicer to facilitate the solving of most paper tape problems. Light weight (3 lbs.) for portability. Both units, splicer and encoder feature precise feed hole pins for fast accurate alignment of tape and splicing patch. Punching block has .003 tolerance for encoding any type of perforating tape. A punching stylus supplied with the encoder produces code hole perforations in tapes. The encoding block has 8 code holes to guide the stylus. Any Alpha-numeric or other code can be punched in tapes. Tapes are manually fed after each individual punch is made by lifting the tape from the feed hole pins and advancing one feed hole at a time.

The Splicing section may also be used with any tape up to 1" wide. Select the proper Patch for the type and width of tape being used.

See Page 8 for listing of Splicing Patches.

- #DPS-1 Splice-N-Punch for Standard Feed Hole Tapes..... \$65.00
- #DPS-1A Splice-N-Punch for Advanced Feed Hole Tapes..... 65.00

SEND US YOUR PROBLEMS:


WHEN YOU HAVE A SPECIALIZED PROBLEM, LET ROBINS SPECIAL DEVICES DEPARTMENT ENGINEER A COST SAVING SYSTEM TO MEET YOUR REQUIREMENTS. ANY OF OUR STANDARD ACCESSORIES AND SUPPLIES CAN BE MODIFIED TO YOUR SPECIFICATIONS. YOUR INQUIRY IS ALWAYS WELCOME.

ROBINS DATA-CODER JR.

ECONOMICAL SINGLE HOLE PUNCH ENCODER

Feed hole pins align and secure tape during encoding operation. 8 code holes of the encoding block guide a punching stylus supplied with the encoder to produce code hole perforations in tapes. Any Alpha-Numeric or other code can be punched in tapes. Tapes are manually fed after each operation by lifting the tape from the feed hole pins and advancing one feed hole at a time. Bottom of base of encoder has chad opening. By placing a sheet of paper beneath the base, chad can be collected and disposed of upon completion of encoding operation.

#DC-1JR For Standard Code and Feed Hole Tapes..... \$40.00
 #DC-1JRA For Advanced Feed Hole Tapes 40.00



ROBINS GIBSON GIRL JR.

ECONOMICAL PUNCHED TAPE SPLICER


Edit, correct, "Butt Splice", attach ends of rolls, loop and repair 5, 6, 7, and 8 channel paper, oiled paper and mylar perforated tapes. Six precision feed hole pins set within a satin chrome splicing block for exact alignment of tape and splicing patch. Splicer is mounted on a heavy cast base with rubber bumpers for safe, easy operation on table or desk. Splicing block can be removed from base for portability. Use with any Robins Splicing Patches listed below on this page. Clean and simple for operation by all personnel (no heat or messy glue). #TSP-JR...\$35.00




SPLICING PATCHES

Patches are for use with TSP-JR and Splice-N-Punch models as well as all Cold Splice Systems.

ADVANCED FEED STANDARD TAPE



Feed Hole
Advanced
.013 from
Code Hole.



Code and
Feed Hole
On One
Center Line.

YOUR COMPLETE SOURCE FOR PERFORATED TAPE SPLICING PATCHES TO BE USED WITH ADVANCED FEED HOLE PERFORATED TAPES FOR GRAPHIC-ARTS, TELETYPE, AND AUTOMATED MACHINERY FIELDS.

Pre-perforated and cut to 1" lengths for easy application to 5, 6, 7, and 8 channel tapes. Pressure sensitive adhesive. Peel away backing paper and apply. Clean, simple...No heat or messy glue. Tackiness, thickness, and cold flow carefully controlled. For all Splicing Systems.

ADVANCED FEED HOLE SPLICING PATCHES

FOR PAPER AND OILED PAPER TAPES
Patch Thickness .002

Patch No.	Width of Patch	Pkg. Qty.	Price
PA-5C	21/32"	100	\$5.00
PA-5D	"	500	12.00
PA-5M	"	1000	17.00
PA-6C	27/32"	100	5.00
PA-6D	"	500	12.00
PA-6M	"	1000	17.00
PA-7C	"	100	5.00
PA-7D	"	500	12.00
PA-7M	"	1000	17.00
PA-71C	31/32"	100	5.00
PA-71D	"	500	12.00
PA-71M	"	1000	17.00
PA-8C	"	100	5.00
PA-8D	"	500	12.00
PA-8M	"	1000	17.00

FOR MYLAR TAPES
Patch Thickness .0025

PAM-5C	21/32"	100	5.50
PAM-5D	"	500	14.00
PAM-5M	"	1000	19.50
PAM-6C	27/32"	100	5.50
PAM-6D	"	500	14.00
PAM-6M	"	1000	19.50
PAM-7C	"	100	5.50
PAM-7D	"	500	14.00
PAM-7M	"	1000	19.50
PAM-71C	31/32"	100	5.50
PAM-71D	"	500	14.00
PAM-71M	"	1000	19.50
PAM-8C	"	100	5.50
PAM-8D	"	500	14.00
PAM-8M	"	1000	19.50

STANDARD CODE AND FEED HOLE PATCHES

FOR PAPER AND OILED PAPER TAPES
Patch Thickness .002

Patch No.	Width of Patch	Pkg. Qty.	Price
PE-5C	21/32"	100	\$3.00
PE-5D	"	500	10.00
PE-5M	"	1000	15.00
PE-6C	27/32"	100	3.00
PE-6D	"	500	10.00
PE-6M	"	1000	15.00
PE-7C	"	100	3.00
PE-7D	"	500	10.00
PE-7M	"	1000	15.00
PE-71C	31/32"	100	3.00
PE-71D	"	500	10.00
PE-71M	"	1000	15.00
PE-8C	"	100	3.00
PE-8D	"	500	10.00
PE-8M	"	1000	15.00

FOR MYLAR TAPES
Patch Thickness .0025

PEM-5C	21/32"	100	3.50
PEM-5D	"	500	12.00
PEM-5M	"	1000	17.50
PEM-6C	27/32"	100	3.50
PEM-6D	"	500	12.00
PEM-6M	"	1000	17.50
PEM-7C	"	100	3.50
PEM-7D	"	500	12.00
PEM-7M	"	1000	17.50
PEM-71C	31/32"	100	3.50
PEM-71D	"	500	12.00
PEM-71M	"	1000	17.50
PEM-8C	"	100	3.50
PEM-8D	"	500	12.00
PEM-8M	"	1000	17.50

CORRECTION PATCHES FOR USE WITH ROBINS DATA-CODERS

Existing perforating tapes can be edited and corrected to update encoded data. Areas of perforating tapes requiring corrections are simply covered with Robins Feed Hole Perforated Gummed Paper Patches (#PPN) and repunched with new or corrected data using any of Robins Data-Coders. Correction Patches are 9" lengths, feed hole perforated only.

#DPPN-C 100 Patches \$9.00
 #DPPN-D 500 Patches 30.00
 #DPPN-M 1000 Patches 45.00
 MINIMUM ORDER \$15.00

ROBINS®

PERFORATED TAPE SPLICERS

GIBSON GIRL® PERFORATED TAPE SPLICING KITS



- RAPID ACCURATE EDITING AND SPLICING OF OILED, OIL-FREE, AND MYLAR PERFORATED TAPES!
- SPLICES WITHOUT LOSING A SINGLE CODE!
- PRODUCES "GIBSON GIRL" TRIM AT SIDES OF SPLICES FOR SMOOTH MACHINE FEED!
- CLEAN AND SIMPLE FOR OPERATION BY ALL OFFICE PERSONNEL --- NO HEAT OR MESSY GLUE!
- Each Splicer has precision "Vertical Cut" and "Gibson-Girl" Trim Blades. Precise Blade Centering Adjustment for maintenance of splicing accuracy. Tape Guide, Feed Hole Pins and Tape Holding Arms to secure tape during splicing operation. Heavy cast base of splicer has burnishing plate to produce firmly bonded splices on tapes. Blades and Cutter Pads are replaceable for easy maintenance. Ruggedly constructed for industrial and office use.
- Cuts precision Vertical Cut at both ends of tape for perfect butted edges or makes splices without loss of a single code. Trims "Gibson Girl" waists which are minute indentations at sides of splices to prevent adhesive from splicing patches from contacting critical parts of equipment.
- Pre-Punched Pressure Sensitive Polyester and High Tensile Vinyl Splicing Patches supplied with Splicer are cut to length and ready to apply. They produce splices of higher tensile strength than the paper tape. Adhesive of splicing patches is carefully controlled for tackiness, thickness, and cold flow.
- This splicing system can be adapted to the individual user's need for either minimum time per splice or maximum strength of splices.

REPLACEMENT PARTS FOR PERFORATED TAPE SPLICERS

#DTSP-BR	Burnishing Roller.....	2.00
#DTSP-CA*	Replacement Cartridge	35.00
#DTSP-FHP	Feed Hole Pins (Set of 4).....	2.00
#DTSP-RB	Replacement Blades (Set of 3).....	.75
#DTSP-RP	Replacement Cutter Pad, each	2.00

* Indicates number of channels of tape. Please indicate width of tape when you order. Splicers with Straight Trim must be requested when ordering. Cost is the same as DTSP Series.

MINIMUM ORDER \$15.00

ROBINS "GIBSON GIRL" PERFORATED TAPE SPLICING KITS

For Standard Feed Hole Tapes - Kit #	For Advanced Feed Hole Tapes - Kit #	Number of Channels	Tape Width	Price
DTSP-5	DTSP-5A	5	11/16"	\$125.00
DTSP-6	DTSP-6A	6	7/8"	125.00
DTSP-7	DTSP-7A	7	7/8"	125.00
DTSP-71	DTSP-71A	7	1"	125.00
DTSP-8	DTSP-8A	8	1"	125.00

NOTE: Straight Trim Perforated Tape Splicers are available for Tape Readers that use an Edge Tape Feed Method (N. C. R., Digitronics, Omnitronics, etc.) Cost is the same as Standard Perforated Tape Splicers, however Straight Trim must be specified when ordering.

STANDARD FEED HOLE SPLICING PATCHES FOR USE WITH #DTSP SERIES SPLICERS

Splicer #	Pkg. Qty.	Patches for Paper Tapes	Net.	Patches for Mylar Tapes	Price
DTSP-5	100	DPP-5C	\$ 3.00	DPPM-5C	\$ 3.50
"	500	DPP-5D	10.00	DPPM-5D	12.00
"	1000	DPP-5M	15.00	DPPM-5M	17.50
DTSP-6	100	DPP-6C	3.00	DPPM-6C	3.50
"	500	DPP-6D	10.00	DPPM-6D	12.00
"	1000	DPP-6M	15.00	DPPM-6M	17.50
DTSP-7	100	DPP-7C	3.00	DPPM-7C	3.50
"	500	DPP-7D	10.00	DPPM-7D	12.00
"	1000	DPP-7M	15.00	DPPM-7M	17.50
DTSP-71	100	DPP-71C	3.00	DPPM-71C	3.50
"	500	DPP-71D	10.00	DPPM-71D	12.00
"	1000	DPP-71M	15.00	DPPM-71M	17.50
DTSP-8	100	DPP-8C	3.00	DPPM-8C	3.50
"	500	DPP-8D	10.00	DPPM-8D	12.00
"	1000	DPP-8M	15.00	DPPM-8M	17.50



CARRYING AND STORAGE CASE FOR ROBINS PERFORATED TAPE SPLICING AND EDITING KITS

Case has provision for securing splicer, burnishing roller and splicing patches. Keeps all accessories in order and protects them against dust and damage. Dimensions of case: 7 5/8" x 11 5/8" x 2 7/8". Splicer can be operated in case.

ORDER CASE #DTSPC -1
Net..... \$15.00

MINIMUM ORDER \$15.00

NOTE: ADVANCE FEED SPLICERS USE PA & PAM PATCHES LISTED ON PAGE 8

ROBINS® GIBSON GIRL®

INDUSTRIAL MAGNETIC TAPE SPLICERS

FOR RAPID EDITING AND REPAIRING OF COMPUTER, INDUSTRIAL, VIDEO, AND SPECIAL PURPOSE MAGNETIC TAPES UP TO 1" WIDE

U.S. PATENT NO. 2,778,420

A complete efficient editing and repairing kit containing heavy-duty splicer for industrial and office use. Robins "Gibson Girl" Magnetic Tape Splicers have precision features that have become the accepted standard of professional and industrial users.

Tape guide and tape holding arms secure tape during splicing and editing operations. A precision Cut is made at both ends of the tape for perfect butted edges. The "Gibson Girl" Trim produces slight concave indentations or waists on both edges of the spliced area. This prevents adhesive from splicing tape from contacting critical parts of the recorder or reading equipment. Adhesive deposited on critical parts of recorders or reading equipment is a frequent cause of erratic operation.

The "Gibson Girl" Magnetic Tape Splicers work on the principle of the steel rule die. Each splicer has a cutter cartridge housing three long life blades which are replaceable. The operating lever has two knob controlled operating positions for "Cut" and "Trim". Precise blade centering adjustment is provided for maintenance of splicing accuracy.


A special burnishing plate on the heavy cast base of the splicer and burnishing roller are provided to produce secure well bonded splices.

EACH KIT CONTAINS . . .

Precision Magnetic Tape Splicer.

Burnishing Roller.

Supply of Special Formular Mylar Splicing Tape. Carrying and Storage Case. Has provisions for securing splicer, burnishing roller, and splicing tape. Splicer can be operated in case. Dimensions of Case: 7 5/8" x 11 5/8" x 2 7/8". Complete Instructions and Reorder Information.



KIT NO.	Width of Magnetic Tape	Price	Robins Splicing Tape to be used	Price	REPLACEMENT PARTS FOR MAGNETIC TAPE SPLICERS:
TSM-250	1/4"	\$100.00	TST-501 Size: 1/2" x 275"	\$1.00	#TSM-BR Burnishing Roller.....\$2.00
TSM-500	1/2"	100.00	" "	"	#TSM-CA* Replacement Cartridge..... 25.00
TSM-625	5/8"	100.00	" "	"	#TSM-RB Replacement Blades, Pkg./12 3.35
TSM-750	3/4"	100.00	TST-751 Size: 3/4" x 150"	1.15	#TSM-RP* Replacement Cutter Pads, ea. 2.00
TSM-875	7/8"	100.00	" "	"	*Indicate Splicer to be used with. Please specify when ordering.
TSM-1000	1"	100.00	" "	"	
NOTE: Splicers listed above have Diagonal Cut Blade. Splicers requiring Vertical (90°) Cut are available on special order - Cost is the same as TSM Series. Please specify when ordering.					MINIMUM ORDER \$15.00

RECORDING HEAD DEMAGNETIZER

ROBINS RECORDING HEAD DEMAGNETIZER

During operation, recording heads of recording equipment build-up signal damaging residual magnetism. To maintain optimum recording quality, it is necessary to demagnetize tape heads periodically through the use of a Head Demagnetizer.

Robins Head Demagnetizer is both safe and simple to use. The probe of the demagnetizer is precision machined at the proper angle to reach recorder heads with ease. The finely finished chrome plated probe permits contact with recorder heads without fear of scratching. Size: 4 5/8" x 1 1/4" dia. Operation: 110 V. 50-60 cycles A.C. 6 ft. heavy duty line cord.




#DHD-6 \$9.00

FILING, STORAGE AND MISCELLANEOUS DEVICES...

MAILING AND STORAGE BOXES FOR PERFORATED TAPES

Robins Polyethylene lined heavy duty kraft boxes have metal closing tabs to facilitate the safe storage and mailing of oiled, oil-free paper and mylar perforated tapes.



Cat. No.	Inside Dimensions	each
DMB-1	5 3/4" square x 1"	.27
DMB-2	11 1/2" square x 1"	.85

EDGE-PUNCHED CARD FILING ENVELOPES

Unlined envelopes with gummed back for easy, safe attachment to related documents or file folders.


#DFE-1 Single Pocket -
3 1/2" x 7 1/4"

Pkg. Qty.	per C
100	\$5.00 /C
500	4.50 /C
1000	4.00 /C



POLYETHYLENE LINED KRAFT FILING ENVELOPES FOR TAPES


Oil resistant Polyethylene lined kraft filing envelopes for safe, clean storage and filing of oiled, oil-free paper and mylar perforated tapes. Easy insertion and removal of tapes. Single Pocket Envelopes with slash opening at top. Available in three sizes.



Cat. No.	Dimensions	Pkg. Qty.	per C
DF-1	2 1/4" x 8"	250	\$4.50 /C
DF-2	2 1/4" x 5 1/2"	500	4.00 /C
DF-3	2 1/4" x 7 3/8"	1000	3.50 /C

COMBINED TAPE AND CARD FILE FOLDER


File tapes and cards with related documents in this efficient 4 pocket tape and card file folder. Stop loss of valuable office time in location and matching tapes and cards to related documents due to separate filing. Sturdy manila stock.



#DSTF-3 each .18¢

PROCESSING AND STORAGE FILE FOLDERS FOR DATA TAPES AND CARDS


Save valuable office time in processing and storing data tapes and cards with related documents. Use Robins sturdy manila folders with alternate slash front and left and right pockets to equalize file build-up. Size: 8 1/2" x 11".



#DSTF-1 slash front and pocket on left side... ea. 15¢
#DSTF-2 slash front and pocket on right side... ea. 15¢

ROBINS PAPER TAPE STORAGE AND FILING CLEAR PLASTIC CANISTERS

Tapes are kept neat and protected in these round clear plastic tape canisters. Just label and store the tape away for future use, free from dust and grime, tearing and breakage. Robins has a Tape Canister for almost any size and length of tape.



#DTC-1 6" dia. x 1" - stores up to 200 ft. of up to 1" wide tape..... Each .50¢
#DTC-2 4 1/4" dia. x 7/8" - stores up to 120 ft. of up to 7/8" wide tape..... Each .42¢
#DTC-3 4 5/16" dia. x 11/16" - stores up to 100 ft. of up to 11/16" wide tape..... Each .37¢

MINIMUM ORDER \$15.00

SEMI-RIGID PLASTIC DATA TAPE HOLDERS




#TFH-5



CONVENIENT TAPE FILING!
SEMI-RIGID PLASTIC DATA
TAPE HOLDERS FOR DESK
USE, WALL MOUNT, AND TO
FIT STANDARD FILES.

#TFH-2



#TFH-1

#TFH-5 Five Semi-Rigid plastic tape holders with file tabs, stacked together to hold up to 50 tapes each up to 1" wide. Size: 21" height x 12" wide x 2 1/8" deep. The top tape holder has two holes for simple hanging.

each \$ 11.50

#TFH-2 Two Semi-Rigid plastic data tape holders mounted back to back for desk use. Holds up to 20 tapes each up to 1" wide. With file tabs.

each \$4.50

#TFH-1 Semi-Rigid plastic data tape file folder with file tab. Size: 9 1/4" x 12" long x 3/8" deep to fit standard files. Holds up to 10 tapes each up to 1" wide. Can be hung on wall.

each \$ 2.00
25 @ 1.75
50 @ 1.50

ROBINS LINT - FREE CLEANING CLOTHS FOR EDP EQUIPMENT

Facilitates the cleaning of delicate precision working parts of Computers, Office Equipment, Packaging and Printing Machinery, etc. Prevents lint and other particles from being deposited on delicate machine parts during cleaning, that may cause jam-ups and misreading.

#SSC-50 Pkg. of 50 lint-free cloths.....\$7.50

#SSC-100 Pkg. of 100 lint-free cloths..... 13.50



STATIC-STOP

FOR COMPUTERS, OFFICE AND DATA PROCESSING EQUIPMENT, PACKAGING AND PRINTING MACHINERY!

A fine mist spray that forms a light coating when applied to automated equipment, etc. It forms a leakage path for static to prevent the accumulation of static electricity that causes harmful deposits of lint and other foreign particles. Will not damage or stain paper and other materials. Very light applications of this spray will do the job.

When used as directed - "Static-Stop" is NON-TOXIC. . . NON- FLAMMABLE. . . NON-STAINING!

#SS-1 11 oz. Aerosol Spray Can...\$2.50
#SS-12 Case of 12 Spray Cans.....24.00


SEND US YOUR PROBLEMS

WHEN YOU HAVE A SPECIALIZED PROBLEM, LET ROBINS SPECIAL DEVICES DEPARTMENT ENGINEER A COST SAVING SYSTEM TO MEET YOUR REQUIREMENTS. YOUR INQUIRY IS ALWAYS WELCOME.

MINIMUM
ORDER
\$15.00

EMPTY TAPE REELS FOR DATA TAPES

1 0 1/2" O.D. N.A.B.
HUB REELS WITH
BREAKAWAY
FLANGE AND
REMOVEABLE
STEEL REEL RING
FOR 1", 7/8", AND
11/16" WIDE TAPE



ROBINS line of paper tape reels now include 10 1/2" O.D. N.A.B. Hub Reels for 1", 7/8", and 11/16" wide tape. These Reels have a Breakaway Flange and Removeable Steel Reel Ring for easy and fast tape handling.

Cat. #	Tape Width	O. D.	Hub Size	Removeable Flange	Ring	Material	Price
DTR-1005	1"	10 1/2"	NAB	YES	YES	Styrene	\$11.00
DTR-1015	7/8"	10 1/2"	NAB	YES	YES	Styrene	16.00
DTR-1025	11/16"	10 1/2"	NAB	YES	YES	Styrene	16.00
DTR-300	Replacement Rubber Reel Retainers for above Reels. Set of 3:						1.00

OTHER ROBINS PAPER TAPE REELS USED ON EDP EQUIPMENT

Cat. #	Tape Width	O. D.	Hub Size	Removeable Flange	Ring	Material	Price
DTR-750L	1"	7 1/2"	1/2"	YES		Lexan	3.75
DTR-750S	1"	7 1/2"	1/2"	YES		Styrene	1.75
DTR-800	11/16"	8"	NAB	YES	YES	Lustran	9.50
DTR-801	1"	8"	NAB	YES	YES	Lustran	9.75
DTR-850L	1"	8 1/2"	1/2"	YES		Lexan	2.25
DTR-850S	1"	8 1/2"	1/2"	YES		Styrene	2.00

SINGLE FLANGE REELS

DTR-105S	11/16"	10 1/2"	NAB		YES	Styrene	\$5.00
DTR-120S	7/8"	10 1/2"	NAB		YES	Styrene	5.00
DTR-115S	1"	10 1/2"	NAB		YES	Styrene	3.50


NEW REEL CASES FOR DTR-800 AND DTR-801 REELS FACILITATES TAPE STORAGE WITHOUT TAPE SPILL!

Clear Impact-Resistant Plastic Reel Cases secure reels of tape. Prevents tape spill. Protects tape from dust and damage. Unique cam lock secures case and cover by turning knob at center of unit.

DTRC-1 Reel Case for DTR-801... \$10.50
DTRC-2 Reel Case for DTR-800 ... 10.00


NEW REMOVEABLE STANDARD REEL - RINGS FOR EASY TAPE REMOVAL . . .

DTR-1 Standard Reel Ring - 1" \$2.00
DTR-2 Standard Reel Ring - 11/16" 2.00



SPECIAL REEL HUB ADAPTORS

Cat. No.	Type of Adaptor	Price
#DNAB	NAB.....	\$10.00
#DHA	Honeywell & NCR..	20.00
#DBA	Burroughs.....	15.00



MINIMUM ORDER \$15.00

ROBINS® PERFORATING TAPES

Paper, oiled paper, laminated Mylar, aluminized Mylar tapes now in stock for immediate delivery. Tape durable enough to be run repeatedly through any EDP equipment. Manufactured in three separate widths. Paper tapes available, each in six different colors. These tapes will work perfectly with any tape system.

UNOILED PAPER TAPES				OILED PAPER TAPES			
Approx. length each roll - 1000 ft.				Approx. length each roll - 1000 ft.			
Tape #	Color	Width	Price	Tape #	Color	Width	Price
ZU-1	PINK	11/16"	.95	ZO-1	PINK	11/16"	.95
ZU-2	YELLOW	" "	.95	ZO-2	YELLOW	" "	.95
ZU-3	GREEN	" "	.95	ZO-3	GREEN	" "	.95
ZU-4	GRAY	" "	.95	ZO-4	GRAY	" "	.95
ZU-5	BLUE	" "	.95	ZO-5	BLUE	" "	.95
ZU-6	BUFF	" "	.95	ZO-6	BUFF	" "	.95
ZU-7	PINK	7/8"	1.08	ZO-7	PINK	7/8"	1.08
ZU-8	YELLOW	" "	1.08	ZO-8	YELLOW	" "	1.08
ZU-9	GREEN	" "	1.08	ZO-9	GREEN	" "	1.08
ZU-10	GRAY	" "	1.08	ZO-10	GRAY	" "	1.08
ZU-11	BLUE	" "	1.08	ZO-11	BLUE	" "	1.08
ZU-12	BUFF	" "	1.08	ZO-12	BUFF	" "	1.08
ZU-13	PINK	1"	1.08	ZO-13	PINK	1"	1.08
ZU-14	YELLOW	"	1.08	ZO-14	YELLOW	"	1.08
ZU-15	GREEN	"	1.08	ZO-15	GREEN	"	1.08
ZU-16	GRAY	"	1.08	ZO-16	GRAY	"	1.08
ZU-17	BLUE	"	1.08	ZO-17	BLUE	"	1.08
ZU-18	BUFF	"	1.08	ZO-18	BUFF	"	1.08
MYLAR LAMINATED PERFORATING TAPES				PAPER OPAQUE TAPES			
Mylar is laminated between the two layers of paper tape. Length each roll - 980 ft.				Approx. length each roll - 1000 ft.			
ZM-1	BLUE	11/16"	24.85	ZB-1	BLACK	11/16"	1.10
ZM-2	BLUE	7/8"	31.64	ZB-2	BLACK	7/8"	1.28
ZM-3	BLUE	1"	33.00	ZB-3	BLACK	1"	1.51
ALUMINIZED MYLAR TAPE				VULCANIZED FIBER TAPES			
The most durable perforating tape available from Robins Data Devices. Meets extreme heat and tensile strength requirements.				Approx. length each roll - 950 ft.			
Length each roll - 500 ft.				ZF-1	BLACK	11/16"	3.50
ZMM-3	BLUE	1"	20.00	ZF-2	BLACK	7/8"	4.28
				ZF-3	BLACK	1"	4.78

TERMS OF SALE: 1/2% / 10 DAYS NET 30 F.O.B. FLUSHING, N. Y. MINIMUM ORDER: \$15.00

WARRANTY

Robins products are produced under the highest standards of workmanship and we warrant them to be free from defects in workmanship and materials. Warranty and liability are expressly limited to replacing or repairing any of our products which upon our inspection prove to have been defective at the time of manufacture within 90 days of sale. No liability will be accepted for damages directly or indirectly arising from the use of our materials or from any other causes. Claims must be made within ten days of receipt of goods. See "Returns".

RETURNS

Written Authorization must be obtained as unauthorized returns will be refused. Ship charges prepaid-Exchange merchandise F.O.B. Factory. All return shipments accepted subject to our inspection and repackaging charges. Unauthorized returns accepted by our receiving department in error are subject to storage charges. Not applicable to discontinued or obsolete merchandise.

FREE!

Introductory Offer – Limit 1 Per Customer
Good Until June 30, 1967—With every order of \$25.00 & up.

Three (3) Reels

ROBINS BRAND FIVE RECORDING TAPE



Model # 10D5M
900ft. Mylar®

You Receive at Absolutely No Charge a total of 2700' of First Quality Mylar Audio Recording Tape from ROBINS. This is to introduce you to the many fine Audio Products from the Consumer Products Division of ROBINS INDUSTRIES. This free offer is also to thank you personally, for letting ROBINS DATA DEVICES solve your data accessory problems.

Your FREE Gift – ROBINS BRAND 5 RECORDING TAPE is manufactured to the same exacting standards as the ROBINS DATA accessories you already have seen. It consists of a high oxide formulation for music and voice reproduction and is pre-lubricated for smoother operation and longer head life, yet prices are surprisingly low at your nearest dealer.

Clip the coupon below, send it with your Data Order (min. \$25.00) and try ROBINS Recording Tape on us.

FREE

GIFT

This coupon is good for 3 reels of
ROBINS Brand 5 Recording Tape
when sent in with an order for Data Processing Accessories (min. \$25.00)
to:

Robins Data Devices Inc.
15-58 127th Street
Flushing, New York 11356
Phone (212) 445-7200

NO CHARGE

Expires June 30, 1967

BONUS